


aftermarket replacement for:
RAYCO
replaces super tooth
part - 2933C



XSC-RA148

ANGLED/BORED

CUTTER TYPE	STEEL TYPE	STEEL HARDNESS	HOLE OPENING	WEIGHT
Wood	42CrMo	HRC40-42	OD 15/16, ID 5/8"	1.53 lbs

A	B	C
LENGTH	WIDTH	LENGTH
4-1/4"	2-13/16"	1-1/2"




XSC-RA149

ANGLED/THREADED

CUTTER TYPE	STEEL TYPE	STEEL HARDNESS	THREAD TYPE	WEIGHT
Wood	42CrMo	HRC40-42	5/8-18"	1.53 lbs

A	B	C
LENGTH	WIDTH	LENGTH
4-1/4"	2-13/16"	1-1/2"

aftermarket replacement for:
RAYCO
replaces super tooth
part - 3144C




XSC-RA150

STRAIGHT/BORED

CUTTER TYPE	STEEL TYPE	STEEL HARDNESS	HOLE OPENING	WEIGHT
Wood	42CrMo	HRC40-42	OD 15/16, ID 5/8"	1.59 lbs

A	B	C
LENGTH	WIDTH	LENGTH
4-1/4"	2-13/16"	1-1/2"

aftermarket replacement for:
RAYCO
replaces super tooth
part - 3144T




XSC-RA151

STRAIGHT/THREADED

CUTTER TYPE	STEEL TYPE	STEEL HARDNESS	THREAD TYPE	WEIGHT
Wood	42CrMo	HRC40-42	5/8-18"	1.59 lbs

A	B	C
LENGTH	WIDTH	LENGTH
4-1/4"	2-13/16"	1-1/2"




XSC-RA235

ANGLED/THREADED

CUTTER TYPE	STEEL TYPE	STEEL HARDNESS	THREAD SIZE	WEIGHT
Wood	42CrMo	HRC40-42	7/8"-14	3.96 lbs

A	B	C
LENGTH	WIDTH	LENGTH
6"	3-5/8"	1-3/4"

aftermarket replacement for:
RAYCO
replaces monster tooth
part - 5156T




XSC-RA236

STRAIGHT/THREADED

CUTTER TYPE	STEEL TYPE	STEEL HARDNESS	THREAD SIZE	WEIGHT
Wood	42CrMo	HRC40-42	7/8"-14	3.56 lbs

A	B	C
LENGTH	WIDTH	LENGTH
5-1/4"	3-5/8"	1-3/4"

aftermarket replacement for:
RAYCO
replaces monster tooth
part - 5157T




XSC-RA237

ANGLED/COUTER BORED

CUTTER TYPE	STEEL TYPE	STEEL HARDNESS	THREAD SIZE	WEIGHT
Wood	42CrMo	HRC40-42	7/8"-14	3.60 lbs

A	B	C
LENGTH	WIDTH	LENGTH
6"	3-5/8"	1-3/4"

aftermarket replacement for:
RAYCO
replaces monster tooth
part - 5156C




XSC-RA238

STRAIGHT/COUTER BORED

CUTTER TYPE	STEEL TYPE	STEEL HARDNESS	THREAD SIZE	WEIGHT
Wood	42CrMo	HRC40-42	7/8"-14	3.28 lbs


A	B	C
LENGTH	WIDTH	LENGTH
5-1/4"	3-5/8"	1-3/4"

aftermarket replacement for:
RAYCO
replaces monster tooth
part - 5157C



SOCKET BOLTS

PART NUMBER	THREAD SIZE	MATERIAL TYPE	GRADE	HEAD TYPE	DRIVE SIZE	A LENGTH	B DIA	C DIA	FIT DISC WIDTH
5/8-18x1-1/2" SKT	5/8-18"	Black Oxide Alloy Steel	8	Socket	1/2"	1-1/2"	15/16"	5/8"	3/8"
5/8-18x1-3/4" SKT	5/8-18"	Black Oxide Alloy Steel	8	Socket	1/2"	1-3/4"	15/16"	5/8"	1/2"
5/8-18x2" SKT	5/8-18"	Black Oxide Alloy Steel	8	Socket	1/2"	2"	15/16"	5/8"	3/4"
5/8-18x2-1/4" SKT	5/8-18"	Black Oxide Alloy Steel	8	Socket	1/2"	2-1/4"	15/16"	5/8"	1"
5/8-18x2-3/4" SKT	5/8-18"	Black Oxide Alloy Steel	8	Socket	1/2"	2-3/4"	15/16"	5/8"	1-1/2"



BEVELLED WASHER

PART NUMBER	MATERIAL TYPE	MATERIAL HARDNESS	SERRATED	A OD	B ID	C THICKNESS	FIT TEETH
M16W	Black Oxide Alloy Steel	C40	TOP & BOTTOM	23.95mm	17.08mm	1.26mm	ALL TEETH

IMPACT RACHET ADAPTER

PART NUMBER	MALE SOCKET SIZE	DRIVE SIZE	FITS BOLT SIZE
IMPACT-1/2	1/2"	3/4"	5/8-18" SKT



REFERENCE CHART



	XSC-RA148	XSC-RA149	XSC-RA150	XSC-RA151	BOLT SIZE	WHEEL THICKNESS
RAYCO						
RG9	2	2	2	2	1-1/2"	3/8"
RG13 II	4	4	0	0	1-1/2"	3/8"
RG13	4	4	2	2	1-1/2"	3/8"
RG20	4	4	2	2	1-1/2"	3/8"
RG25HD	4	4	2	2	1-1/2"	3/8"
RG27 Super Jr	6	6	3	3	2-1/4"	1"
RG37 Super Jr	6	6	3	3	2-1/4"	1"
RG35 Super Jr	6	6	3	3	2-1/4"	1"
RG40 Super Jr	6	6	3	3	2-1/4"	1"
RG40 Trac Jr	6	6	3	3	2-1/4"	1"
RG45X Super Jr	10	10	2	2	2-3/4"	1-1/2"
RG45 Trac Jr	10	10	2	2	2-3/4"	1-1/2"
RG50 (up to Feb 1998)	10	10	2	2	2-3/4"	1-1/2"
RG50 (Mar 1998 - July 1998)	6	6	3	3	2-3/4"	1-1/2"
RG50 (Aug 1998 - Dec 1998)	6	6	3	3	2-3/4"	1-1/2"
RG55	10	10	2	2	2-3/4"	1-1/2"
RG66	9	9	3	3	2-3/4"	1-1/2"
RG70X	10	10	2	2	2-3/4"	1-1/2"
RG74R-R	18	18	2	2	2-1/4"	1"
RG80	9	9	3	3	2-3/4"	1-1/2"
RG85	9	9	3	3	2-3/4"	1-1/2"
Super RG85	10	10	2	2	2-3/4"	1-1/2"
RG90	10	10	2	2	2-3/4"	1-1/2"
RG106DXH	18	18	2	2	2-1/4"	1"
RG120DXH	18	18	2	2	2-1/4"	1"
RG140DXH	18	18	2	2	2-1/4"	1"
RG1625A Super JR	6	6	3	3	1-3/4"	1/2"
RG1631 Super JR	6	6	3	3	2-1/4"	1"
RG1635 Trac JR	6	6	3	3	2-1/4"	1"
1635A (up to Jan 1995)	14	14	2	2	2"	3/4"
1635A (Feb 1995 to Aug 1997)	10	10	2	2	2"	3/4"
RG1642	14	14	2	2	2"	3/4"
RG1645	10	10	2	2	2"	3/4"
RG1645	10	10	2	2	2-3/4"	1-1/2"
RG1660M	10	10	2	2	2"	3/4"
RG1665AC (before 1997)	16	16	2	2	2"	3/4"
RG1665AC (after 1997)	14	14	2	2	2"	3/4"
RG1672S	14	14	2	2	2"	3/4"
TR100	16	16	4	4	2-1/4"	1"
T175	8	8	4	4	2-1/4"	1"